



**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3012 16th Avenue West  
Seattle, WA 98119-2029  
FAX: (206) 283-5044

March 31, 1995

Gerald Thompson, Project Leader  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the amended results from the testing of material submitted on March 13, 1995 from your #7238, Metro Grab, PO #M40480 project. The report has been amended to correct the date we received the sample.

We apologize for any inconvenience this may have caused you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Bradley T. Benson  
Chemist

jdp  
Enclosures

ACU0315X

AKC-0013009

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

**Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282**

**3012 16th Avenue West  
Seattle, WA 98119-2029  
FAX: (206) 283-5044**

**DUPLICATE COPY**

**March 15, 1995**

**INVOICE # 95ACU0315-3**

**Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134**

**RE: Project #7238, Metro Grab, PO #M40480: Results of testing requested by  
Gerald Thompson, Project Leader for material submitted on March 13, 1995.**

**1 water sample analyzed for Chromium, Copper,  
Nickel and Zinc @ \$65 per sample**

**\$ 65.00**

**Amount Due .....**

**\$ 65.00**

**FRIEDMAN & BRUYA, INC.****ENVIRONMENTAL CHEMISTS**

Date of Report: March 15, 1995  
Date Received: March 13, 1995  
Project: #7238, Metro Grab, PO #M40480  
Date Samples Extracted: March 13, 1995

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE  
FOR CHROMIUM, COPPER, NICKEL AND ZINC**  
Results Reported as mg/L (ppm)

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M40480	2.0	0.98	1.9	0.10
<b><u>Quality Assurance</u></b>				
Blank	<0.05	<0.05	<0.05	<0.05
M40480 (Duplicate)	2.1	1.0	2.0	0.10
M40480 (Matrix Spike) % Recovery	94%	92%	98%	96%
M40480 (Matrix Spike Duplicate) % Recovery	97%	93%	94%	97%
Spike Blank % Recovery	101%	97%	105%	105%
Spike Level	5	5	10	5



**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3012 16th Avenue West  
Seattle, WA 98119-2029  
FAX: (206) 283-5044

March 15, 1995

Gerald Thompson, Project Leader  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on March 13, 1995 from your #7238, Metro Grab, PO #M40480 project.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

  
Kelley Wilt  
Chemist

jdp  
Enclosures

ACU0315R

AKC-0013012